

ACI 04 ACIDS

Analysis of volatile acids on BP20

KEYWORDS:

Volatile Acids
Organic Acids
Fatty Acids


Notes: A thick film BP20 column can be used to analyse volatile fatty acids

VOLATILE ACIDS

Part No: 054455
Phase: BP20, 2.0µm film
Column: 12m x 0.53mm ID
Initial Temp: 140°C
Rate: 10°C/min
Final Temp: 200°C
Carrier Gas: Nitrogen
Carrier Flow: 10mL/min
Injection Volume: 0.1µL

Components

1. Acetic Acid
2. Propanoic Acid
3. Butyric Acid
4. Valeric Acid



visit www.sge.com or contact our technical Customer Support Team on: techsupport@sge.com

SGE International Pty. Ltd.
email: support@sge.com

SGE Incorporated (USA)
email: usa@sge.com

SGE (France) Sarl
email: france@sge.com

SGE Deutschland GmbH
email: germany@sge.com

SGE Japan Inc.
email: sgejpn@itjit.ne.jp

SGE Australia Pty. Ltd.
email: sales@sge.com

SGE Europe Ltd. (UK)
email: uk@sge.com

SGE (Italia) Srl.
email: sge.italia@tin.it

SGE China Service Centre
email: sge@bj.col.com.cn

SGE India
email: sgeindia@bom4.vsnl.net.in